
STUMP CUTTER



SC90/130



Vermeer®

More Power, Less Width.

Put tough stumps to rest with the SC90 and SC130 stump cutters from Vermeer. Featuring enough power to effectively remove stumps up to 3 feet in diameter, these units tackle stumps in locations where access with larger equipment may be difficult. The slim width allows easy maneuvering into tight spaces making them the ideal machines for confined areas with large concentrations of small stumps.

A Cut Above.

Both units are portable and easy to maneuver, but their greatest attribute is the cutter wheel. Smooth cutting and long lasting, it takes only a few minutes to change using just 2 - 9/16" wrenches. Composed of 12 tungsten-carbide teeth common on larger commercial units, the wheel is segmented into four sections. If a section becomes damaged, it can be changed without replacing the entire wheel. The result — fast, economical replacement or sharpening of worn or damaged wheel segments.

SC90/130

Highly Portable, Well Balanced and Easy to Maneuver.



Comfortable User-Friendly Controls

The dual-grip, rubber mounted handlebar minimizes vibration and allows comfortable grip variation based on machine angle and operator height. Balanced weight distribution simplifies operation and reduces operator fatigue.





Transportation Made Easy.

Convenient lift handles, located on each side of the unit, make for easy, 2-person loading eliminating the need for ramps.





Powerful Cutting Action. An aggressive cutting wheel provides the perfect power-to-weight ratio and reduces the risk of clutch burn-out.





High Quality Components for Superior Results. Both units feature Honda engines equipped with heavy-duty Cyclone air filters, high performance centrifugal clutch and heavy-duty disc brake system in addition to Ingersoll-Rand bearings, super-traction Snow Hog tires, Super 2-V banded drive belt and the patented Vermeer cutter wheel guard system.

SC90 Specifications

General

Weight: 220 lb (100 kg) Length: 71" (180 cm) Width: 26.5" (67 cm) Height: 40" (102 cm)

Engine

Make and model: Honda 9 HP Air cleaner: Cyclone dual-element

Low oil shutdown: Yes

Fuel-tank capacity: 1.59 gal (6.0 L)

Oil type: SAE 10W30
Oil capacity: 1.16 qt (1.1 L)

Drive System

Clutch: Noram Centrifugal Belt: 2-V Banded and cogged

SC130 Specifications

General

Weight: 260 lb (117 kg) Length: 76" (193 cm) Width: 29.5" (75 cm) Height: 42" (107 cm)

Engine

Make and model: Honda 13 HP Air cleaner: Cyclone dual-element

Low oil shutdown: Yes

Fuel-tank capacity: 1.72 gal (6.5 L)

Oil type: SAE 10W30 Oil capacity: 1.16 qt (1.1 L)

Drive System

Clutch: Noram Centrifugal Belt: 2-V Banded and cogged

Your Complete Global Service Provider for Quality Parts and Service.



Get the parts and service edge. In addition to providing quality equipment, Vermeer delivers top-quality parts and superior services. Vermeer parts are manufactured to exacting specifications to help keep your Vermeer equipment running trouble-free and at OEM specifications.



Vermeer offers factorycertified training programs to its dealer network to ensure that the most current service procedures are presented to the service personnel of your Vermeer dealer.



Genuine Vermeer parts are precision crafted to match to your Vermeer equipment EXACTLY. This ensures that your system will run as smoothly as possible, with the least amount of service and maintenance.

Vermeer[®]

Vermeer Manufacturing Company

1210 Vermeer Road East P.O. Box 200 Pella, Iowa 50219 U.S.A. Phone: (641) 628-3141 Fax: (641) 621-7734 International fax: +1 (641) 621-7730 www.vermeer.com

Call toll-free 1-888-VERMEER 1-888-837-6337 (U.S.A. only)

Europe, Middle East and Africa:

P.O. Box 323 4460 AS Goes Netherlands Phone: +31 113 272700 Fax: +31 113 272727

Building Industry Partnerships to Serve You Better.

Vermeer has forged strong strategic alliances with tree industry giants that include Sherrill Incorporated and ArborMaster Training. These alliances ensure that top-quality industry support is the standard at Vermeer dealerships. Membership with the NAA and ISA helps Vermeer stay in touch with the customers it serves and the issues they face.











Vermeer reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing at any time without notice or obligation.

VERMEER and VERMEER LOGO are registered trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. Honda is a registered trademark of Honda Motor Co. Ltd.

© 2003 Vermeer Manufacturing Company. All Rights Reserved.