

HOEFLON C10

LARGE
POWERHOUSE







HOEFLON[®]



HOEFLON C10


Lift 4000kg in the Netherlands without a crane permit. You can with our C10 compact crane, making it the perfect choice for heavier work in industry and steel erection. Even at a hoisting height of 21m this crane still has an enormous hoisting capacity of 750kg. The C10 compact crane has three speeds, making it exceptionally manoeuvrable. The removable ballast and the easily detachable options make it possible to quickly reduce the total weight of the crane. Simply put, this is a machine with many possibilities.



| | |
|-------------------------------|---|
| Capacity | 4.000kg |
| Boom outreach | 13.7m, and 19.8m with options |
| Hoisting height | 16.3m, and 22m with options |
| Transport dimensions LxWxH | 3.93m x 0.80m x 1.97m |
| Total weight | 4.400kg, and 4.700kg with options |
| Boom angle | -5° to 83° |
| Boom system | Cylinder and chain system |
| Slewing angle | 360° |
| Driving speed | 1st gear: 1.1km/h 2nd gear: 2.3km/h 3rd gear: 2.9km/h |
| Engine | Yanmar 3-cylinder diesel |
| Inclination angle, driving | 20° |
| Outrigger pressure | 4.500kg per outrigger |
| Ground pressure, tracks | 0.72kg/cm² |
| Extendible, removable ballast | 1.340kg |
| Noise | 75dB |

| | |
|------------------------------------|------------------------------|
| Dimensions including winch and jib | 4.15m x 0.80m x 2.07m |
| Fly jib | 5.0m |
| Winch | 1.000kg, 2.000kg and 4.000kg |
| Hoisting speed with winch | 20.8m/min |
| Winch cable | 50m long |
| Extension section | 30° adjustable |
| Electric motor | 400V / 3 phase |
| Slewing | unlimited |
| Crawler | non-marking |
| Lighting | work light on boom and jib |
| Speed controller | 900 to 1,700rpm |
| Storage box | extra storage box |





C10 IN A NUTSHELL

Manoeuvrable with extreme precision

Remote control for outrigger, driving and crane functions

Hydraulically expandable tracks

Removable and extendible ballast

Tie-down hooks for trailer

One lifting point

No rights can be derived from the information stated here.



WHY HOEFLON?

Hoeftlon transport solutions are extremely versatile, making them perfect for moving heavy materials in close quarters or difficult-to-reach areas at project sites. We are happy to offer advice concerning the best solution for your situation. Ask us about the possibilities!

Your Hoeftlon® dealer ▶

HOEFLON®

Made in Holland

Hoeftlon International B.V.

address Zwolleweg 2 3771 NR Barneveld, The Netherlands

tel. +31 (0)342 400288 email info@hoeftlon.com

HOEFLON.COM